INDEX TO AUTHORS

Brackets indicate senior author's professional history

A

AGRELL, IVAR, and BERGQVIST, HANS-ÅKE. Cytochemical evidence for varied DNA complexes in the nuclei of undifferentiated cells, 604

ATKINS, LEONARD, TAFT, PRISCILLA D., and DALAL, KUSUM P. Asynchronous DNA synthesis of sex chromatin in human interphase nuclei, [397] 390

AUB, J. C. See RYSER, AUB, and CAULFIELD, 437

B

BAHR, GUNTER F., and ZEITLER, ELMAR. Study of mitochondria in rat liver. Quantitative electron microscopy, [607] 489

BANNISTER, ROGER G. See ROMANUL and BANNISTER, 73

BARRNETT, RUSSELL J. See TICE and BARRNETT, 401

BEARD, D. See NOVIKOFF, DE THÉ, BEARD, and BEARD, 451

BEARD, J. W. See NOVIKOFF, DE THÉ, BEARD, and BEARD, 451

BENDITT, EARL P. See ROSS and BENDITT, 99

BERGQVIST, HANS-ÅKE. See AGRELL and BERGQVIST, 604

BERRY, M. N. Metabolic properties of cells isolated from adult mouse liver, [155] 1

— and SIMPSON, F. O. Fine structure of cells isolated from adult mouse liver, 9

BRANDT, PHILIP W., and PAPPAS, GEORGE D. An electron microscopic study of pinocytosis in ameba. II. The cytoplasmic uptake phase, [155] 55

C

CARO, LUCIEN G. High-resolution autoradiography. II. The problem of resolution, 189

— and VAN TUBERGEN, ROBERT P. High-resolution autoradiography. I. Methods, 173

CASLEY-SMITH, J. R. The identification of chylomicra and lipoproteins in tissue sections and their passage into jejunal lacteals, [397] 259

CAULFIELD, J. C. See RYSER, AUB, and CAULFIELD, 437

D

DALAL, KUSUM P. See ATKINS, TAFT, and DALAL, 390

DALTON, A. J. See ZEIGEL and DALTON, 45

DAS, NIRMAL K. Synthetic capacities of chromosome fragments correlated with their ability to maintain nucleolar material, [155] 121

DE THÉ, GUY. See NOVIKOFF, DE THÉ, BEARD, and BEARD, 451

DINGMAN, WESLEY. See SPORN, WANKO, and DINGMAN, 109

E

EGYHÁZI, ENDRE. See HYDÉN and EGYHÁZI, 37

ERNSTER, LARS, and JONES, LOIS C. A study of the nucleoside tri- and diphosphate activities of rat liver microsomes, [607] 563

—, SIEKEVITZ, PHILIP, and PALADE, GEORGE E. Enzyme-structure relationships in the endoplasmic reticulum of rat liver. A morphological and biochemical study, 541

ESSNER, EDWARD, and NOVIKOFF, ALEX B. Cytological studies on two functional hepatomas. Interrelations of endoplasmic reticulum, Golgi apparatus, and lysosomes, 289

—. See NOVIKOFF and ESSNER, 140

F

FABERGÉ, A. C., and LEWIS, C. WILLARD, JR. *N*-vinylpyrrolidone as a water-compatible constituent of embedding resins for sectioning in electron microscopy, [607] 579

FELDMAN, DOROTHY GELBER. A method for staining thin sections with lead hydroxide for precipitate-free sections, [607] 592

FLOCK, ÅKE, and WERSÄLL, JAN. A study of the orientation of the sensory hairs of the receptor cells in the lateral line organ of fish, with special reference to the function of the receptors, 19

FREI, J. V. The fine structure of the basement membrane in epidermal tumors, 335

G

GIBBS, SARAH P. Chloroplast development in *Ochromonas danica*, [397] 343

GIBOR, AHARON, and GRANICK, SAM. Ultraviolet sensitive factors in the cytoplasm that affect the differentiation of *Euglena* plastids, [608] 599

GONZALES, FEDERICO. A masking technique for contrast control in electron micrographs, 146

GRANICK, SAM. See GIBOR and GRANICK, 599

H

HALE, ARTHUR J. Identification of some cytochemical reaction products by historadiography, 417

—. Identification of cytochemical reaction products by scanning x-ray emission microanalysis, 427

HANKER, JACOB S. See SELIGMAN, HANKER, SEAMAN, and SILBERSTEIN, 395
HINEGARDNER, RALPH T. The isolation of nuclei from eggs and embryos of the sea urchin, [608] 503
HYDÉN, HOLGER, and EGYHÁZI, ENDRE. Changes in the base composition of nuclear ribonucleic acid of neurons during a short period of enhanced protein production, 37

J

JONES, LOIS C. See ERNSTER and JONES, 563

K

KANE, R. E. The mitotic apparatus. Fine structure of the isolated unit, 279
KAYE, GORDON I. Studies on the cornea. III. The fine structure of the frog cornea and the uptake and transport of colloidal particles by the cornea *in vivo*, 241
KOLB, JO ANN. See CARO and VAN TUBERGEN, 173
KROLL, ARNOLD J., and KUWABARA, TOICHIRO. Prevention of phosphate-induced mitochondrial swelling, [155] 29
KUWABARA, TOICHIRO. See KROLL and KUWABARA, 29

L

LALLIER, R. Les effets du thiosorbitol et du thioglycérol sur la structure de l'appareil mitotique de l'oeuf de l'oursin *Paracentrotus lividus*, [397] 382
LASANSKY, ARNALDO, and WALD, FLORA. The extracellular space in the toad retina as defined by the distribution of ferrocyanide. A light and electron microscope study, 463
LEESON, C. ROLAND. The application of diazotype color films to the production of projection slides of electron microscopic material, [398] 394
LEWIS, C. WILLARD, JR. See FABERGÉ and LEWIS, 579
LIEBELT, ROBERT A. See SELZMAN and LIEBELT, 136
LOUD, ALDEN V. A method for the quantitative estimation of cytoplasmic structures, [608] 481

M

MCSHAN, W. H. See PERDUE and MCSHAN, 159
MERCER, F. V., NITTIM, MARET, and POSSINGHAM, J. V. The effect of manganese deficiency on the structure of spinach chloroplasts, 379
MORGAN, HOWARD E. See ORTH and MORGAN, 509

N

NITTIM, MARET. See MERCER, NITTIM, and POSSINGHAM, 379
NOVIKOFF, ALEX B., DE THÉ, GUY, BEARD, D., and BEARD, J. W. Electron microscopic study of the ATPase activity of the BAI strain A (myeloblastosis) avian tumor virus, 451
— and ESSNER, EDWARD. Cytolysomes and mitochondrial degeneration, 140
—. See ESSNER and NOVIKOFF, 289

O

OLSSON, RAGNAR. The relationship between ciliary rootlets and other cell structures, [609] 596
ORTH, DAVID N., and MORGAN, HOWARD E. The effect of insulin, alloxan diabetes, and anoxia on the ultrastructure of the rat heart, [609] 509

P

PALADE, GEORGE E. See ERNSTER, SIEKEVITZ, and PALADE, 541
PAPPAS, GEORGE D., and TENNYSON, VIRGINIA M. An electron microscopic study of the passage of colloidal particles from the blood vessels of the ciliary processes and choroid plexus of the rabbit, 227
—. See BRANDT and PAPPAS, 55
PEASE, DANIEL C. Demonstration of a highly ordered pattern upon a mitochondrial surface, [398] 385
PERDUE, J. F., and MCSHAN, W. H. Isolation and biochemical study of secretory granules from rat pituitary glands, [398] 159
PLAUT, W. See RABINOVITCH and PLAUT, 525, 535
POSSINGHAM, J. V. See MERCER, NITTIM, and POSSINGHAM, 379

R

RABINOVITCH, M., and PLAUT, W. Cytoplasmic DNA synthesis in *Amoeba proteus*. I. On the particulate nature of the DNA-containing elements, 525
— and —. II. On the behavior and possible nature of the DNA-containing elements, 535
ROBERTSON, DAVID M., and VOGEL, F. STEPHEN. Concentric lamination of glial processes in oligodendrogliomas, [398] 313
ROMANUL, FLAVIU C. A., and BANNISTER, ROGER G. Localized areas of high alkaline phosphatase activity in the terminal arterial tree, [156] 73
ROSS, RUSSELL, and BENDITT, EARL P. Wound healing and collagen formation. III. A quantitative radioautographic study of the utilization of proline-H^3 in wounds from normal and scorbutic guinea pigs, 99
RYSER, H., AUB, J. C., and CAULFIELD, J. C. Studies on protein uptake by isolated tumor cells. II. Quantitative data on the adsorption and uptake of I^{131}-serum albumin by Ehrlich ascites tumor cells, 437

S

SANO, MASAO. Further studies on the theta cell of the mouse anterior pituitary as revealed by electron microscopy, with special reference to the mode of secretion, [156] 85
SCHULTZ, PHYLLIS W. See SCHULTZ and SCHULTZ, 211
SCHULTZ, RICHARD L., and SCHULTZ, PHYLLIS W. Enzyme distribution in the rat fetus and placenta following the administration of ethionine, [399] 211

SEAMAN, ARLENE R. See SELIGMAN, HANKER, SEAMAN, and SILBERSTEIN, 395
SELIGMAN, ARNOLD M., HANKER, JACOB S., SEAMAN, ARLENE R., and SILBERSTEIN, HANNAH E. Stability of the iodine-carbon bond of radioactive iodoalbumin in the 50 KV electron beam, [399] 395
SELZMAN, H. M., and LIEBELT, ROBERT A. Paneth cell granule of mouse intestine, [156] 136
SIEKEVITZ, PHILIP. See ERNSTER, SIEKEVITZ, and PALADE, 541
SILBERSTEIN, HANNAH E. See SELIGMAN, HANKER, SEAMAN, and SILBERSTEIN, 395
SIMPSON, F. O. See BERRY and SIMPSON, 9
SOROKIN, SERGEI. Centrioles and the formation of rudimentary cilia by fibroblasts and smooth muscle cells, [399] 363
SPORN, MICHAEL B., WANKO, THEODOR, and DINGMAN, WESLEY. The isolation of cell nuclei from rat brain, [156] 109
STOCKINGER, L. Elektronenoptische Darstellung einer Makroglobulinretention in Plasmazellen des menschlichen Knochenmarks, 131

T

TAFT, PRISCILLA D. See ATKINS, TAFT, and DALAL, 390
TAYLOR, A. CECIL. Responses of cells to pH changes in the medium, [399] 201
TENNYSON, VIRGINIA M. See PAPPAS and TENNYSON, 227
TICE, LOIS W., and BARRNETT, RUSSELL J. Fine structural localization of adenosinetriphosphatase activity in heart muscle myofibrils, [609] 401

U

UCHIZONO, KOJI. The structure of possible photoreceptive elements in the sixth abdominal ganglion of the crayfish, [157] 151

V

VAN TUBERGEN, ROBERT P. See CARO and VAN TUBERGEN, 173
VOGEL, F. STEPHEN. See ROBERTSON and VOGEL, 313

W

WALD, FLORA. See LASANSKY and WALD, 463
WANKO, THEODOR. See SPORN, WANKO, and DINGMAN, 109
WERSÄLL, JAN. See FLOCK and WERSÄLL, 19

Y

YAMAGISHI, HIDEO. Interaction between nucleic acids and berberine sulfate, [609] 589

Z

ZEIGEL, R. F., and DALTON, A. J. Speculations based on the morphology of the Golgi systems in several types of protein-secreting cells, [157] 45
ZEITLER, ELMAR. See BAHR and ZEITLER, 489

INDEX TO SUBJECTS

A

Adenosine triphosphatase activity, of BAI Strain A (myeloblastosis) avian tumor virus, EM study of, 451
— triphosphatase, in myofibrils of rat heart muscle, fine structural localization of, 401
Alga, *Ochromonas danica*, chloroplast development in, EM study, 343
Alkaline phosphatase, localized areas of high activity of, in terminal arterial tree, histochemical study, 73
Ameba, *Amoeba proteus*, cytoplasmic DNA synthesis, behavior and possible nature of DNA-containing elements, 535
—, *Amoeba proteus*, cytoplasmic DNA synthesis, particulate nature of DNA-containing elements, autoradiographic study, 525
—, *Pelomyxa carolinensis*, pinocytosis, cytoplasmic uptake phase, EM study, 55
Arterial tree, terminal, localized areas of high alkaline phosphatase activity in, histochemical study, 73
Autoradiography, high-resolution, methods of, 173
—, high-resolution, problems of resolution, 189

B

Basement membrane, in epidermal tumors, of mice, fine structure of, 335
Blood vessels, of ciliary processes and choroid plexus, in rabbit, passage of colloidal markers from, EM study, 227
Bone marrow, plasma cells of, macroglobulin retention, EM study, 131
Brain, of rat, method for isolating nuclei from cells of, 109

C

Cat, retinal rod cells, highly ordered pattern upon apposing surface membranes of adjacent mitochondria, EM study, 385
Cell, Paneth, of mouse intestine, secretory granules of, histochemical study, 136
—, theta, of anterior pituitary of mouse, fine structure and mode of secretion of, 85
Cells, Ehrlich ascites tumor, isolated, quantitative data on adsorption and uptake of I^{131}-serum albumin by, 437
—, in culture, responses of to pH changes in medium, time-lapse motion picture study, 201
—, isolated from liver, of mouse, fine structure of, 9
Cells, isolated from liver, of mouse, metabolic properties of,
—, liver, of rat, cytolysomes and mitochondrial degeneration, EM and histochemical study, 140
—, of rat brain, method for isolating nuclei from, 109
—, plasma, of human bone marrow, macroglobulin retention in, EM study, 131
—, protein-secreting, speculations based on morphology of Golgi systems in, 45
—, receptor, of lateral line organ, in teleost fish, *Lota vulgaris*, orientation of sensory hairs, function of receptors, 19
—, root tip, of *Allium cepa* and *Vicia faba*, capacity of chromosome fragments to synthesize DNA and RNA, correlated with ability to maintain nucleolar material, autoradiographic study, 121
—, undifferentiated, cytochemical evidence for varied DNA complexes in nuclei of, 604
Centrioles, and formation of rudimentary cilia, in fibroblasts and smooth muscle cells, EM study, 363
Chloroplast development, in alga, *Ochromonas danica*, EM study, 343
Chloroplasts, of spinach plants, effect of manganese deficiency on structure of, EM study, 379
Chordates, *Amphioxus* and *Corella*, ciliary rootlets, relationship to other cell structures, EM study, 596
Chromatin, sex, in interphase nuclei of cultured peritoneal cells, asynchronous DNA synthesis of, autoradiographic study, 390
Chromosome fragments, of root tip cells, of *Allium cepa* and *Vicia faba*, capacity to synthesize DNA and RNA, correlated with ability to maintain nucleolar material, autoradiographic study, 121
Chylomicra and lipoproteins, identification in tissue sections, passage of into jejunal lacteals, of rat, EM study, 259
Cilia, rudimentary, formation of from centrioles, in fibroblasts and smooth muscle cells, EM study, 363
Ciliary rootlets, in chordates, relationship to other cell structures, EM study, 596
Collagen formation and wound healing, in normal and scorbutic guinea pigs, utilization of proline-H^3, quantitative radioautographic study, 99
Colloidal markers, passage of, from blood vessels of ciliary process and choroid plexus, in rabbit, EM study, 227
— markers, uptake and transport of, by cornea *in vivo*, in frog, EM study, 241

Cornea, of frog, fine structure of and *in vivo* uptake and transport of colloidal markers by, 241
Crayfish, sixth abdominal ganglion, structure of possible photoreceptive elements in, EM study, 151
Cultured cells, responses of to pH changes in medium, time-lapse motion picture study, 201
Cytolysomes and mitochondrial degeneration, in liver cells, of rat, EM and histochemical study, 140
Cytoplasmic structures, of rat liver cells, method for quantitative estimation of, EM study, 481

D

DNA complexes, varied, in nuclei of undifferentiated cells, cytochemical evidence for, 604
— synthesis, asynchronous, in sex chromatin in interphase nuclei, of cultured peritoneal cells, of human, autoradiographic study, 390
— synthesis, cytoplasmic, in *Amoeba proteus*, behavior and possible nature of DNA-containing elements, 535
— synthesis, cytoplasmic, in *Amoeba proteus*, particulate nature of DNA-containing elements, autoradiographic study, 525

E

Egg, of sea urchin, effect of thiosorbitol and thioglycerol on structure of mitotic apparatus of, 382
—, of sea urchin, fine structure of isolated mitotic apparatus of, 279
Eggs, and embryos, of sea urchin, isolation of nuclei from, 503
Electron micrographs, masking technique for contrast control in, 146
— microscopy, application of diazotype color films to production of projection slides of EM material, 394
— microscopy, method for quantitative estimation of cytoplasmic structures, in rat liver cells, 481
— microscopy, method of staining thin sections with lead hydroxide for precipitate-free sections, 592
— microscopy, methods of high-resolution autoradiography, 173
— microscopy, *N*-vinylpyrrolidone as water-compatible constituent of embedding resins for sectioning in, 579
— microscopy, problems of resolution in high-resolution autoradiography, 189
— microscopy, quantitative, of mitochondria of rat liver, 489
— microscopy, stability of the iodine-carbon bond of radioactive iodoalbumin in the 50 KV electron beam, 395
Embryos, and eggs, of sea urchin, isolation of nuclei from, 503
Endoplasmic reticulum, of rat liver, enzyme-structure relationships in, morphological and biochemical study, 541
Enzyme distribution, in fetus and placenta of rat, following administration of ethionine, histochemical and biochemical study, 211
Enzyme-structure relationships, in endoplasmic reticulum, of rat liver, morphological and biochemical study, 541
Ethionine-induced resorption of conceptus, of rat, enzyme distribution in fetus and placenta following, histochemical and biochemical study, 211
Extracellular space, in retina, of toad *Bufo arenarum*, as defined by distribution of ferrocyanide, light and electron microscope study, 463

F

Ferrocyanide, distribution of, for defining extracellular space, in retina of toad, *Bufo arenarum*, light and electron microscope study, 463
Fetus and placenta, of rat, enzyme distribution in, following administration of ethionine, histochemical and biochemical study, 211
Fibroblasts, and smooth muscle cells, formation of rudimentary cilia from centrioles in, EM study, 363
Fish, teleost, *Lota vulgaris*, orientation of sensory hairs of receptor cells in lateral line organ, function of receptors of, 19
Frog, cornea, fine structure of and *in vivo* uptake and transport of colloidal markers by, 241

G

Ganglion, sixth abdominal, of crayfish, structure of possible photoreceptive elements in, EM study, 151
Glial processes, concentric lamination of, in oligodendrogliomas of human, EM study, 313
Golgi systems, in several types of protein-secreting cells, speculations based on morphology of, 45
Granules, secretory, in anterior pituitary gland, isolation and biochemical study of, 159
—, secretory, of Paneth cell of mouse intestine, histochemical study, 136
Guinea pig, normal and scorbutic, wound healing and collagen formation, utilization of proline-H^3, quantitative radioautographic study, 99

H

Hairs, sensory, orientation of in receptor cells in lateral line organ of teleost fish, *Lota vulgaris*, function of receptors, 19
Historadiography, identification of some cytochemical reaction products by, in rat kidney, 417
Human, bone marrow, macroglobulin retention in plasma cells of, EM study, 131
—, cultured peritoneal cells, asynchronous DNA synthesis of sex chromatin in interphase nuclei of, autoradiographic study, 390
—, intracranial tumors, oligodendrogliomas, concentric lamination of glial processes in, EM study, 313

I

Intestine, of mouse, secretory granules of Paneth cell of, histochemical study, 136
Iodoalbumin, radioactive, stability of the iodine-carbon bond of, in the 50 KV electron beam, 395

J

Jejunum, of rat, identification of chylomicra and lipoproteins in tissue sections and their passage into lacteals of, EM study, 259

K

Kidney, of rat, identification of some cytochemical reaction products, by historadiography, 417
—, of rat, identification of some cytochemical reaction products, by x-ray emission microanalysis, 427

L

Lipoproteins and chylomicra, identification of in tissue sections, passage of into jejunal lacteals, of rat, EM study, 259
Liver cells, isolated, of mouse, fine structure of, 9
— cells, isolated, of mouse, metabolic properties of, 1
—, of rat, enzyme-structure relationships in endoplasmic reticulum of, morphological and biochemical study, 541
—, of rat, quantitative electron microscopy of mitochondria, 489
—, of rat, study of nucleoside tri- and diphosphatase activities of microsomes of, 563
— tumors, Reuber hepatoma H-35 and Morris hepatoma 5123, of rat, interrelations of ER, Golgi apparatus, and lysosomes, EM and cytochemical study, 289

M

Macroglobulin retention, in plasma cells of human bone marrow, EM study, 131
Manganese deficiency, effect of, on structure of chloroplasts in spinach plants, EM study, 379
Membrane, basement, in epidermal tumors, of mice, fine structure of, 335
Mice, epidermal tumors, fine structure of basement membrane, 335
Mitochondria, of rat liver, quantitative electron microscopy of, 489
—, of retinal rod cells, of cat, highly ordered pattern upon apposing surface membranes of, EM study, 385
—, prevention of phosphate-induced swelling of, *in vitro*, in retina of rabbit, studied by EM, 29
Mitochondrial degeneration, in cytolysomes, of liver cells in rat, EM and histochemical study, 140
Mitotic apparatus, isolated, of sea urchin egg, fine structure of, 279
— apparatus, of sea urchin egg, effect of thiosorbital and thioglycerol on, 382
Mouse, intestine, secretory granules of Paneth cell of, histochemical study, 136
—, isolated liver cells, fine structure, 9
—, isolated liver cells, metabolic properties, 1
—, theta cell of anterior pituitary, fine structure and mode of secretion, 85
Muscle, cardiac, of rat, effect of insulin, alloxan diabetes, and anoxia on ultrastructure of, 509
Muscle, cardiac, of rat, fine structural localization of ATPase activity in myofibrils of, 401
— cells, smooth, and fibroblasts, formation of rudimentary cilia from centrioles, EM study, 363

N

Neurons, of rabbit, changes in base composition of nuclear RNA during short period of enhanced protein production, 37
Nuclei, in cells of rat brain, method for isolation of, 109
—, interphase, asynchronous DNA synthesis of sex chromatin in, of cultured peritoneal cells, of human, autoradiographic study, 390
—, of eggs and embryos of sea urchin, isolation of, 503
—, of undifferentiated cells, cytochemical evidence for varied DNA complexes in, 604
Nucleic acids, of *Saccharomyces*, interaction with berberine sulfate, fluorometric study, 589
Nucleolar material, of root tip cells, of *Allium cepa* and *Vicia faba*, capacity of chromosome fragments in synthesis of DNA and RNA, correlated with maintenance of, autoradiographic study, 121
Nucleoside tri- and diphosphatase activities, of microsomes of rat liver, study of, 563

P

Photoreceptive elements, in sixth abdominal ganglion, of crayfish, structure of, EM study, 151
Pinocytosis in ameba, *Pelomyxa carolinensis*, cytoplasmic uptake phase, EM study, 55
Pituitary, anterior, isolation and biochemical study of secretory granules of, 159
—, anterior, of mouse, fine structure and mode of secretion of theta cell, 85
Placenta and fetus, of rat, enzyme distribution in, following administration of ethionine, histochemical and biochemical study, 211
Plasma cells, of human bone marrow, macroglobulin retention, EM study, 131
Plastids, of *Euglena*, ultraviolet-sensitive factors in cytoplasm that affect differentiation of, 599
Protein uptake, by isolated Ehrlich ascites tumor cells, quantitative data on adsorption and uptake of I^{131}-serum albumin, 437
Protein-secreting cells, speculations based on morphology of Golgi systems in, 45

R

Rabbit, blood vessels of ciliary processes and choroid plexus, passage of colloidal markers from, EM study, 227
—, neurons, changes in base composition of nuclear RNA during short period of enhanced protein production, 37
—, retina, prevention of phosphate-induced swelling of mitochondria *in vitro*, studied by EM, 29
Radioactive iodoalbumin label, proline-H^3, incorporation and utilization of in healing wounds of normal and scorbutic guinea pigs, quantitative radioautographic study, 99

Radioactive iodoalbumin, stability of the iodine-carbon bond of, in the 50 KV electron beam, 395
— label, I^{131}-serum albumin, quantitative data on adsorption and uptake of, by isolated Ehrlich ascites tumor cells, 437
— label, thymidine-H^3, asynchronous DNA synthesis of sex chromatin in interphase nuclei, of cultured peritoneal cells, of human, autoradiographic study, 390
— label, thymidine-H^3 and cytidine-H^3, determination of capacity of chromosome fragments to synthesize DNA and RNA, correlated with ability to maintain nucleolar material, in root tip cells of *Allium cepa* and *Vicia faba*, autoradiographic study, 121
— label, thymidine-H^3, in cytoplasmic DNA synthesis, particulate nature of DNA-containing elements, in *Amoeba proteus*, autoradiographic study, 525
— label, thymidine-H^3, problems of resolution in high-resolution autoradiography, 189
—label, thymidine-H^3, uridine-H^3, leucine-H^3, methods of high-resolution autoradiography, 173
Rat, anterior pituitary gland, isolation and biochemical study of secretory granules of, 159
—, brain, method for isolating nuclei from cells of, 109
—, fetus and placenta, enzyme distribution in, following administration of ethionine, histochemical and biochemical study, 211
—, heart, effect of insulin, alloxan diabetes, and anoxia on ultrastructure of, 509
—, heart muscle, fine structural localization of ATPase activity in myofibrils of, 401
—, jejunum, identification of chylomicra and lipoproteins in tissue sections and their passage into lacteals of, EM study, 259
—, kidney, identification of some cytochemical reaction products by historadiography, 417
—, kidney, identification of some cytochemical reaction products by x-ray emission microanalysis, 427
—, liver cells, cytolysomes and mitochondrial degeneration, EM and histochemical study, 140
—, liver cells, method for quantitative estimation of cytoplasmic structures of, EM study, 481
—, liver, enzyme-structure relationships in endoplasmic reticulum of, morphological and biochemical study, 541
—, liver, quantitative electron microscopy of mitochondria, 489
—, liver, study of nucleoside tri- and diphosphatase activities of microsomes of, 563
— tumors, Reuber hepatoma H-35 and Morris hepatoma 5123, interrelations of ER, Golgi apparatus, and lysosomes, EM and cytochemical study, 289
Receptor cells, of lateral line organ, in teleost fish, *Lota vulgaris*, orientation of sensory hairs, function of, 19
Resins, embedding, *N*-vinylpyrrolidone as water-compatible constituent of, for sectioning in electron microscopy, 579
Retina, of rabbit, prevention of phosphate-induced mitochondrial swelling *in vitro*, studied by EM, 29
—, of toad, *Bufo arenarum*, extracellular space as defined by distribution of ferrocyanide, light and electron microscope study, 463
Retinal rod cells, of cat, highly ordered pattern upon apposing surface membranes of adjacent mitochondria, EM study, 385
RNA, nuclear, of neurons, in rabbit, changes in base composition of during short period of enhanced protein production, 37
Root tip cells, of *Allium cepa* and *Vicia faba*, capacity of chromosome fragments to synthesize DNA and RNA correlated with ability to maintain nucleolar material, autoradiographic study, 121

S

Sea urchin, egg, effect of thiosorbitol and thioglycerol on structure of mitotic apparatus of, 382
— urchin, egg, fine structure of isolated mitotic apparatus of, 279
— urchin, eggs and embryos, isolation of nuclei from, 503
Sections, thin, method of staining with lead hydroxide for precipitate-free sections, 592
Serum albumin, I^{131}-labeled, quantitative data on adsorption and uptake of by isolated Ehrlich ascites tumor cells, 437
Spinach, chloroplasts, effect of manganese deficiency on structure of, EM study, 379
Staining, with lead hydroxide, of thin sections for precipitate-free sections, method of, 592

T

Theta cell, of anterior pituitary of mouse, fine structure and mode of secretion of, 85
Toad, *Bufo arenarum*, retina of, extracellular space as defined by distribution of ferrocyanide, light and electron microscope study, 463
Tumor cells, Ehrlich ascites, isolated, quantitative data on adsorption and uptake of I^{131}-serum albumin by, 437
— virus, avian BAI Strain A (myeloblastosis), ATPase activity of, EM study, 451
Tumors, epidermal, of mice, fine structure of basement membrane, 335
—, intracranial, oligodendrogliomas, of human, concentric lamination of glial processes in, EM study, 313
—, Reuber hepatoma H-35 and Morris hepatoma 5123, of rat, interrelations of ER, Golgi apparatus, and lysosomes, EM and cytochemical study, 289

U

Ultraviolet-sensitive factors, in cytoplasm of *Euglena*, effect on differentiation of plastids, 599

V

Virus, avian tumor, BAI Strain A (myeloblastosis), ATPase activity of, EM study, 451

W

Wound healing and collagen formation, in normal and scorbutic guinea pigs, utilization of proline-H^3, quantitative radioautographic study, 99

X

X-ray emission microanalysis, identification of some cytochemical reaction products by, in rat kidney, 427

Y

Yeast, *Saccharomyces*, interaction between nucleic acids of and berberine sulfate, fluorometric study, 589

63 506A C 21—Cor
QH C128

CONTENTS

NUMBER 1, OCTOBER, 1962

1 BERRY, M. N. Metabolic properties of cells isolated from adult mouse liver
9 BERRY, M. N., and SIMPSON, F. O. Fine structure of cells isolated from adult mouse liver
19 FLOCK, ÅKE, and WERSÄLL, JAN. A study of the orientation of the sensory hairs of the receptor cells in the lateral line organ of fish, with special reference to the function of the receptors
29 KROLL, ARNOLD J., and KUWABARA, TOICHIRO. Prevention of phosphate-induced mitochondrial swelling
37 HYDÉN, HOLGER, and EGYHÁZI, ENDRE. Changes in the base composition of nuclear ribonucleic acid of neurons during a short period of enhanced protein production
45 ZEIGEL, R. F., and DALTON, A. J. Speculations based on the morphology of the Golgi systems in several types of protein-secreting cells
55 BRANDT, PHILIP W., and PAPPAS, GEORGE D. An electron microscopic study of pinocytosis in ameba. II. The cytoplasmic uptake phase
73 ROMANUL, FLAVIU C. A., and BANNISTER, ROGER G. Localized areas of high alkaline phosphatase activity in the terminal arterial tree
85 SANO, MASAO. Further studies on the theta cell of the mouse anterior pituitary as revealed by electron microscopy, with special reference to the mode of secretion
99 ROSS, RUSSELL, and BENDITT, EARL P. Wound healing and collagen formation. III. A quantitative radioautographic study of the utilization of proline-H^3 in wounds from normal and scorbutic guinea pigs
109 SPORN, MICHAEL B., WANKO, THEODOR, and DINGMAN, WESLEY. The isolation of cell nuclei from rat brain
121 DAS, NIRMAL K. Synthetic capacities of chromosome fragments correlated with their ability to maintain nucleolar material

Brief Notes

131 STOCKINGER, L. Elektronenoptische darstellung einer Makroglobulinretention in Plasmazellen des menschlichen Knochenmarks
136 SELZMAN, H. M., and LEIBELT, ROBERT A. Paneth cell granule of mouse intestine
140 NOVIKOFF, ALEX B., and ESSNER, EDWARD. Cytolysomes and mitochondrial degeneration
146 GONZALES, FEDERICO. A masking technique for contrast control in electron micrographs
151 UCHIZONO, KOJI. The structure of possible photoreceptive elements in the sixth abdominal ganglion of the crayfish
155 AMONG THE CONTRIBUTORS

NUMBER 2, NOVEMBER, 1962

159 PERDUE, J. F., and MCSHAN, W. H. Isolation and biochemical study of secretory granules from rat pituitary glands
173 CARO, LUCIEN G., and VAN TUBERGEN, ROBERT P. High-resolution autoradiography. I. Methods
189 CARO, LUCIEN G. High-resolution autoradiography. II. The problem of resolution
201 TAYLOR, A. CECIL. Responses of cells to pH changes in the medium
211 SCHULTZ, RICHARD L., and SCHULTZ, PHYLLIS W. Enzyme distribution in the rat fetus and placenta following the administration of ethionine
227 PAPPAS, GEORGE D., and TENNYSON, VIRGINIA M. An electron microscopic study of the passage of colloidal particles from the blood vessels of the ciliary processes and choroid plexus of the rabbit

241 KAYE, GORDON I. Studies on the cornea. III. The fine structure of the frog cornea and the uptake and transport of colloidal particles by the cornea *in vivo*
259 CASLEY-SMITH, J. R. The identification of chylomicra and lipoproteins in tissue sections and their passage into jejunal lacteals
279 KANE, R. E. The mitotic apparatus. Fine structure of the isolated unit
289 ESSNER, EDWARD, and NOVIKOFF, ALEX B. Cytological studies on two functional hepatomas. Interrelations of endoplasmic reticulum, Golgi apparatus, and lysosomes
313 ROBERTSON, DAVID M., and VOGEL, F. STEPHEN. Concentric lamination of glial processes in oligodendrogliomas
335 FREI, J. V. The fine structure of the basement membrane in epidermal tumors
343 GIBBS, SARAH P. Chloroplast development in *Ochromonas danica*
363 SOROKIN, SERGEI. Centrioles and the formation of rudimentary cilia by fibroblasts and smooth muscle cells

Brief Notes

379 MERCER, F. V., NITTIM, MARET, and POSSINGHAM, J. V. The effect of manganese deficiency on the structure of spinach chloroplasts
382 LALLIER, R. Les effets du thiosorbitol et du thioglycérol sur la structure de l'appareil mitotique de l'oeuf de l'oursin *Paracentrotus lividus*
385 PEASE, DANIEL C. Demonstration of a highly ordered pattern upon a mitochondrial surface
390 ATKINS, LEONARD, TAFT, PRISCILLA D., and DALAL, KUSUM P. Asynchronous DNA synthesis of sex chromatin in human interphase nuclei
394 LEESON, C. ROLAND. The application of diazotype color films to the production of projection slides of electron microscopic material
395 SELIGMAN, ARNOLD M., HANKER, JACOB S., SEAMAN, ARLENE R., and SILBERSTEIN, HANNAH E. Stability of the iodine-carbon bond of radioactive iodoalbumin in the 50 KV electron beam
397 AMONG THE CONTRIBUTORS

NUMBER 3, DECEMBER, 1962

401 TICE, LOIS W., and BARRNETT, RUSSELL J. Fine structural localization of adenosinetriphosphatase activity in heart muscle myofibrils
417 HALE, ARTHUR J. Identification of some cytochemical reaction products by historadiography
427 HALE, ARTHUR J. Identification of cytochemical reaction products by scanning x-ray emission microanalysis
437 RYSER, H., AUB, J. C., and CAULFIELD, J. C. Studies on protein uptake by isolated tumor cells. II. Quantitative data on the adsorption and uptake of I^{131}-serum albumin by Ehrlich ascites tumor cells
451 NOVIKOFF, ALEX B., DE THÉ, GUY, BEARD, D., and BEARD, J. W. Electron microscopic study of the ATPase activity of the BAI strain A (myeloblastosis) avian tumor virus
463 LASANSKY, ARNALDO, and WALD, FLORA. The extracellular space in the toad retina as defined by the distribution of ferrocyanide. A light and electron microscope study
481 LOUD, ALDEN V. A method for the quantitative estimation of cytoplasmic structures
489 BAHR, GUNTER F., and ZEITLER, ELMAR. Study of mitochondria in rat liver. Quantitative electron microscopy
503 HINEGARDNER, RALPH T. The isolation of nuclei from eggs and embryos of the sea urchin
509 ORTH, DAVID N., and MORGAN, HOWARD E. The effect of insulin, alloxan diabetes, and anoxia on the ultrastructure of the rat heart
525 RABINOVITCH, M., and PLAUT, W. Cytoplasmic DNA synthesis in *Amoeba proteus*. I. On the particulate nature of the DNA-containing elements
535 RABINOVITCH, M., and PLAUT, W. Cytoplasmic DNA synthesis in *Amoeba proteus*. II. On the behavior and possible nature of the DNA-containing elements
541 ERNSTER, LARS, SIEKEVITZ, PHILIP, and PALADE, GEORGE E. Enzyme-structure relationships in the endoplasmic reticulum of rat liver. A morphological and biochemical study

563 Ernster, Lars, and Jones, Lois C. A study of the nucleoside tri- and diphosphate activities of rat liver microsomes

579 Fabergé, A. C., and Lewis, C. Willard, Jr. *N*-vinylpyrrolidone as a water compatible constituent of embedding resins for sectioning in electron microscopy

Brief Notes

589 Yamagishi, Hideo. Interaction between nucleic acids and berberine sulfate

592 Feldman, Dorothy Gelber. A method of staining thin sections with lead hydroxide for precipitate-free sections

596 Olsson, Ragnar. The relationship between ciliary rootlets and other cell structures

599 Gibor, Aharon, and Granick, Sam. Ultraviolet-sensitive factors in the cytoplasm that affect the differentiation of *Euglena* plastids

604 Agrell, Ivar, and Bergqvist, Hans-Åke. Cytochemical evidence for varied DNA complexes in the nuclei of undifferentiated cells

607 Among the Contributors

611 Indexes to Volume 15